

**YOUR SAFEGUARD...**

# 8-HOUR DEFENSE™ HAND SANITIZER



**SERVISMED**  
Greater Prevention Products

**8-Hour Defense Hand Sanitizer is an anomaly.** Fully capable of tackling unwanted germs. No added dyes or fragrances. Gentle on skin and safe for use around people & pets. Never sacrifice safety for product performance again.

**8-Hour Defense Hand Sanitizer works on** contact and leaves an invisible, "breathable" barrier that stays working & locked in place **for 8 hours or more\***. Experience heightened protection **before & after** exposure.



## Protection through Prevention.

- Alcohol-Free
- Moisture-infused foam or spray
- No cracking, drying or burning
- Does not degrade surfaces
- Parent, Nurse & Teacher Favorite

1

Tested and proven to help reduce bacteria that potentially cause disease.

2

Physician tested and approved.

3

Amplifies consumer defense against the threat of surface transmissible infections.

- Benzalkonium Chloride based
- Patented manufacturing process
- Enhanced Capabilities

## PROTECTS LIKE NO OTHER

\*Skin cells may be shed prior to 8 hours naturally or by abrasion. Reapply as needed.


**Instant killing action -  
lasting prevention**



[info@servismed.us](mailto:info@servismed.us)  
(800) 433-0939



# MICROSURE 8 HOUR DEFENSE™



## HAND SANITIZER

### DIRECTIONS FOR USE

- 1 Place enough product in your palm to thoroughly cover your hands.
- 2 Rub hands together and allow to dry.
- 3 Note: Do not rinse or wipe off the hand sanitizer before it's thoroughly dry.
- 4 Our Product has been tested to be effective for greater than 8 hours. However, Skin Cells shed prior to 8 Hours naturally or by abrasion. Reapply as needed.



[info@servismed.us](mailto:info@servismed.us)  
(800) 433-0939



**YOUR SAFEGUARD...**

# MICROSURE ALL PURPOSE CLEANER AND DISINFECTANT™

*Virucidal - Bactericidal - Fungicidal*

The traditional mode of action to combat transmission of harmful microorganisms on surfaces is to attack the germs with varying degrees of poisonous chemicals. These poisons are composed of alcohols, bleaches and acids, and are designed to target and destroy a microbe's outer membrane, resulting in a "chemical kill". Antimicrobial biocides are toxic compounds that are harmful to humans, plants and animals.

When a surface is coated with Microsure All Purpose Cleaner and Disinfectant, millions of "invisible", nanoscopic crystalline structures begin forming and bonding (with the surface), effectively forming a new surface. Resulting in a "mechanical kill", that will kill the cells of the bio threat trying to attach to the object.

## PROTECTION THROUGH PREVENTION

- This newly mechanically modified surface is one that prevents adhesion, disrupts microbial communication and prohibits colonization, reproduction and proliferation.
- Microbes that are unfortunate enough to come in contact with a Microsure All Purpose Cleaner and Disinfectant modified surface, exhaust themselves, wither and die.
- Unlike traditional disinfectants, Microsure All Purpose Cleaner and Disinfectant stays in place long after you apply it.



*\*The material is approximately 4 Nano meters in size. The material has been developed in such a way as it creates "Crystalline Structures" which penetrates the cellular membrane.*



**SERVISMED**  
Greater Prevention Products



Effective against the most common germs, including E.Coli, Enterococcus hirae, P. Aeruginosa and Staphylococcus aureus. As well as many viruses, mold and fungi.

1

2 Dries on any surface forming a covalent bond.

3

Leaves Hard, Non-Porous Surfaces Disinfected.

- Will not degrade or discolor surfaces not harmed by water.
- Multi-purpose cleaner that can replace many other cleaning chemicals combined.
- Compatible with non-bleach disinfectants.

**Instant killing action -  
lasting prevention**



[info@servismed.us](mailto:info@servismed.us)  
(800) 433-0939





info@servismed.us  
(800) 433-0939



# MICROSURE™

## ALL PURPOSE CLEANER AND DISINFECTANT



Microsure All Purpose Cleaner and Disinfectant is an easy to use device that works mechanically to bind to an applied surface and protect against unwanted microorganisms.

- ✓ Virucidal
- ✓ Bactericidal
- ✓ Fungicidal
- ✓ Eliminates Mold
- ✓ Eliminates Algae

**CAN BE USED ON  
HARD AND SOFT SURFACES**

- ✓ Bleach-Free
- ✓ Alcohol-Free
- ✓ Ammonium-Free
- ✓ No Added Dyes
- ✓ No Added Fragrances

Distributed by: Strategic, LLC  
1800 Jone Blvd., Suite 370, Oak Brook, IL 60523  
866-577-8726



### DIRECTIONS FOR USE

It is a violation of Federal Law to use this device in a manner inconsistent with its labeling. This device is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

**GENERAL DIRECTIONS:** On a clean dry surface, apply enough solution to adequately cover the target surface by using spraying application of your choice.

**GENERAL CLEANING:** Spray targeted area and let dry.

**DISINFECTING, DEODORIZING:** Pre clean surface before application of product.

Apply product with a hand pump trigger sprayer, low pressure coarse sprayer, or preferred applicator of choice. Hold sprayer six to eight inches from the surface to be treated.

Spray area until it is adequately covered with the product.

No scrubbing necessary. Allow treated surfaces to air dry.

### INDOOR SURFACES:

Walls / Ceilings: Apply every 3 months, or earlier if needed.

Floor, rails, stairs, furniture: Apply every 3-6 weeks depending on frequency of human contact.

### OUTDOOR SURFACES:

Building walls: Apply every 6 weeks to 3 months, or earlier if needed.

Sidewalks, outdoor furniture, etc.: Apply every 3-6 weeks depending on weather conditions, foot traffic and frequency of human contact.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See side panel for additional precautionary statements.

Net Contents: 1 Gallon

EPA EST. NO. 10506-TN-001

EXP. DATE

### PRECAUTIONARY STATEMENTS

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

### FIRST AID:

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**IF IN EYES:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

**IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

### STORAGE AND DISPOSAL

**PESTICIDE DEVICE STORAGE:** Store in a dry place inaccessible to children.

**CONTAINER HANDLING:** Non-refillable container. Do not reuse or refill this container. Offer for recycling if available or puncture and dispose in a sanitary landfill, incineration, or burning, if allowed by state and local authorities, if burned, stay out of smoke.

**CONTAINER DISPOSAL FOR REFILL SPRAY BOTTLE:** Do not reuse empty spray bottle except with refill container, otherwise wrap spray bottle and discard in trash. Offer for recycling if available.

**PESTICIDE DEVICE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

## DIRECTIONS FOR USE

1

### GENERAL CLEANING:

Spray targeted area and let dry.

2

### DISINFECTING, DEODORIZING:

Pre-clean surface before application of product.



Apply product with a hand pump trigger sprayer, low pressure coarse sprayer, or preferred applicator of choice. Hold sprayer six to eight inches from the surface to be treated.



Spray area until it is adequately covered with the product.



No scrubbing necessary. Allow treated surfaces to air dry.

## GUIDELINES FOR APPLICATION

### INDOOR SURFACES:

Walls / Ceilings: Apply every 3 months

Floors, rails, stairs, furniture: Apply every 3-6 weeks depending on frequency of human contact

### OUTDOOR SURFACES:

Building walls: Apply every 6 weeks to 3 months

Sidewalks, outdoor furniture, etc.: Apply every 3-6 weeks depending on weather conditions, foot traffic and frequency of human contact

\*It is important to always refer to and abide by the EPA set guidelines prior to application of this product, as these guidelines may change periodically over time.

**YOUR SAFEGUARD...**

# WOUND CARE



microSURE™

Infectious Disease Management relies on both reducing the spread of bacteria, as well as creating an environment that makes bacteria difficult to grow. By creating a surface that makes it impossible for bacteria to grow and multiply on surfaces, the rate of infection will necessarily drop.

When a wound is coated with Microsure, millions of "invisible", nanoscopic crystalline structures begin forming and bonding (with the surface of wound), effectively forming a new surface. Resulting in a "mechanical kill", that will kill the cells of the bio threat trying to attach to the object.



## First-Aid Antiseptic to help fight infection!

### DIRECTIONS FOR USE

- Clean the wound and dry thoroughly.
- Using a clean hand, apply thin coating of microSURE to the wound and surrounding area. Let dissipate for 60 seconds.
- Allow microSURE to dry before applying any antibiotics, bandages, or dressings.
- Apply antibiotic, if directed by your physician. Otherwise, allow wound to dry for several minutes.
- Dress the wound as directed by your physician.

*\*For maximum results, re-apply every 6-8 hours, or as directed by your physician.*

Tested and proven to help reduce bacteria that potentially cause disease.

- Dries on any surface forming a covalent bond.
- Help prevent infection from minor cuts, scrapes, burns, or other wounds.
- Promote healing of diabetic wounds
- Guard against infection
- Extended protection
- No-sting formula



**SERVISMED**  
Greater Prevention Products

info@servismed.us  
(800) 433-0939



**Be Sure.  
Use MicroSURE.**





# strategia

## CERTIFICATION AND COMPLIANCE



U.S. Food and Drug Administration  
(FDA) NATIONAL DRUG CODES:

72513-100-01  
72513-100-02  
72513-100-03  
72513-100-04  
72513-100-05  
72513-100-06



U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA):

EPA EST. NO. 10508-TN-001



# SERVISMED

Greater Prevention Products



for additional information and pricing information please contact:  
[info@bravatek.com](mailto:info@bravatek.com)